



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 2 of 25

#### 2.2. Label elements

##### GB CLP Regulation

##### Hazard components for labelling

hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics  
2,2,4,6,6-pentamethylheptane  
hydrocarbons, C11-C12, isoalkanes, <2% aromatics

**Signal word:** Danger

**Pictograms:**



##### Hazard statements

H304 May be fatal if swallowed and enters airways.

##### Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331 Do NOT induce vomiting.

##### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

##### Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

#### 2.3. Other hazards

Adverse physicochemical effects:

See section 9 for physical and chemical properties.

This material is combustible, but will not ignite readily.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Vapours of flammable solvents can accumulate in the gas phase of closed container, especially during heat treatment.

Therefore keep away from fire and sources of ignition.

This material can accumulate static charge by flow or agitation and can be ignited by static discharge.

The product will be applied by spraying.

In use may form flammable/explosive vapour-air mixture.

Adverse human health effects and symptoms:

See section 11 for toxicological information.

Adverse environmental effects:

See section 12 for environmental information.

Other adverse effects:

Special danger of slipping by leaking/spilling product.

Results of PBT-/vPvB-assesment:

See under section 12.5 - Results of PBT and vPvB assessment.

Endocrine disrupting properties:

See under section 11.2 + 12.6 - Endocrine disrupting properties.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

##### Chemical characterization

Solution of active ingredients in mineral oil



# Safety Data Sheet

Information following the respective legal area

**WAXILIT 22-74**

Revision date: 27.12.2022

Page 3 of 25

**Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
64742-48-9	hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	55 - < 60 %		
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			
13475-82-6	2,2,4,6,6-pentamethylheptane	15 - < 20 %		
	236-757-0		01-2119490725-29	
	Flam. Liq. 3, Asp. Tox. 1; H226 H304			
90622-57-4	hydrocarbons, C11-C12, isoalkanes, <2% aromatics	5 - < 10 %		
	918-167-1		01-2119472146-39	
	Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 4; H226 H304 H413 EUH066			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
64742-48-9	918-481-9	hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	55 - < 60 %	
	inhalation: LC50 = > 5,6 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			
13475-82-6	236-757-0	2,2,4,6,6-pentamethylheptane	15 - < 20 %	
	inhalation: LC50 = > 5,6 mg/l (dusts or mists); dermal: LD50 = > 3000 mg/kg; oral: LD50 = > 5000 mg/kg			
90622-57-4	918-167-1	hydrocarbons, C11-C12, isoalkanes, <2% aromatics	5 - < 10 %	
	inhalation: LC50 = > 5,6 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			

**Further Information**

The above mentioned EC-No. (Provisional List Number 9xx-xxx-x) is a specific subset of the specified CAS-No. and was associated with the registration process automatically (without CAS-No. or numeric identifier). An official announcement by the EC inventory will follow after evaluation of substance identity by the ECHA. The new nomenclature of hydrocarbon solvents is only related with group names of the HSPA (Hydrocarbon Solvents Producers Association). The previously used CAS-No. continues serving as a reference for different global inventories. The classification of hydrocarbon mixtures made in consideration of the applicable notes in annex VI of regulation (EC) No. 1272/2008.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove affected person from the danger area and lay down.

Take off immediately all contaminated clothing and wash it before reuse.

Put victim at rest, cover with a blanket and keep warm.

Do not leave affected person unattended.

If a person vomits when lying on his back, place him in the recovery position.

If breathing is irregular or stopped, administer artificial respiration.

If unconscious but breathing normally, place in recovery position and seek medical advice.

Never give anything by mouth to an unconscious person or a person with cramps.

In the event of cardiac arrest immediately perform cardiopulmonary resuscitation.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Self-protection of the first aider:

Wear personal protection equipment (refer to section 8).

First Aid.

Notes for the doctor:

Aspiration hazard

Risk of product entering the lungs on vomiting after ingestion.

Aspiration may cause pulmonary oedema and pneumonitis.

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 4 of 25

hours.

**After inhalation**

Remove victim out of the danger area.

Provide fresh air.

In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks.) Call a physician immediately.

Consult a doctor immediately in the case of inhaling spray mist and show him packing or label.

**After contact with skin**

Wash immediately with:

Water and soap

Rub greasy ointment into the skin.

Do not wash with:

Solvents/Thinner

In case of skin irritation, consult a physician.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

If present: Initial treatment with Previn. (Previn is a registered trademark).

Protect uninjured eye.

**After ingestion**

Do NOT induce vomiting.

Give nothing to eat or drink.

Observe risk of aspiration if vomiting occurs.

Never give anything by mouth to an unconscious person or a person with cramps.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

The following symptoms may occur:

Cough

Dyspnoea

Cyanosis (blue coloured blood)

Pulmonary oedema

Pneumonia

Depression of central nervous system

Headache

Nausea

Dizziness

Dizziness

Inebriation

Unconsciousness

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

In case of ingestion, the stomach should be emptied by gastric lavage under qualified medical supervision.

Regulation of the blood circulation, possible shock treatment.

Where appropriate artificial ventilation.

Subsequent observance for pneumonia and lung oedema.

---

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water mist

Extinguishing powder (ABC-powder)

Foam

Carbon dioxide (CO<sub>2</sub>)

Fire class (EN 2): B (Fires of liquids or liquid turning substances)

**Unsuitable extinguishing media**

Full water jet



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 5 of 25

Water spray jet

#### **5.2. Special hazards arising from the substance or mixture**

In principle, fire gasses of organic materials have to be classified as toxic to the respiratory system.

Burning produces heavy smoke.

Hazardous combustion products:

Carbon monoxide

carbon dioxide (CO<sub>2</sub>)

Hydrocarbons

Pyrolysis products, toxic

#### **5.3. Advice for firefighters**

Usual measures of preventive and averting fire protection.

Co-ordinate fire-fighting measures to the fire surroundings.

Do not inhale explosion and combustion gases.

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

Beware of reignition.

Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen.

Move undamaged containers from immediate hazard area if it can be done safely.

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

Use water spray jet to protect personnel and to cool endangered containers.

Closed containers may burst when pressure and temperature rise

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

DIN-/EN-Norms EN 469

Firefighting protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **General advice**

Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

In fine dispersion/spraying/misting: / In case of warning:

Remove all sources of ignition.

Prevent further leakage or spillage if safe to do so.

Remove persons to safety.

Be aware that gases can spread at ground level (heavier than air) and pay attention to the wind direction.

Provide adequate ventilation.

Special danger of slipping by leaking/spilling product.

#### **For non-emergency personnel**

Use personal protection equipment.

Walk out of the danger zone and notify trained personnel.

Emergency procedures: Keep the factory emergency plan and the information chain.

#### **For emergency responders**

Use personal protection equipment.

The personal protective equipment must be adapted to the situation.

Suitable material:

See under section 8.2 - Personal protection equipment.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Ensure waste is collected and contained.

Suppress gases/vapours/mists with water spray jet.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3. Methods and material for containment and cleaning up**



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 6 of 25

#### For containment

- Repair leaks if without risk.
- Move containers from spill area.
- Make sure spills can be contained, e.g. in sump pallets or kerbed areas.
- Prevent spread over a wide area (e.g. by containment or oil barriers).
- Remove from the water surface (e.g. skimming, sucking).
- Cover drains.

#### For cleaning up

- Large amounts of spillages:
  - Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
  - Shovel into suitable container for disposal.
  - Local authorities should be advised if significant spillages cannot be contained.

Small amounts of spillages:

- Clear spills immediately.
- Wipe up with absorbent material (eg. cloth, fleece).
- Collect in closed and suitable containers for disposal.
- Clear contaminated areas thoroughly.
- Recommended cleansing agent:
  - Clean with detergents. Avoid solvent cleaners.
  - Retain contaminated washing water and dispose it.
  - Ensure all waste water is collected and treated via a waste water treatment plant.
- Ventilate affected area.

#### Other information

Suitable material for taking up:

- Sand
- Kieselguhr
- Universal binder
- Absorbing material, organic

Unsuitable material for taking up:

- None known

#### 6.4. Reference to other sections

- Personal protection equipment: see section 8
- Disposal: see section 13

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

- Measures to prevent aerosol and dust generation:
  - All work processes must always be designed so that the following is as low as possible:
    - Inhalation of vapours or spray/mists
    - Eye contact
    - Skin contact

Technical ventilation of workplace

- Vapours are heavier than air.
- Provide room air exhaust at ground level.
- During filling, metering and sampling should be used if possible:
  - Splashproof grounded devices
  - Devices with local exhaust
  - Use only in a exhaust booth with integrated air filter.
  - Use in ventilated spray booths only.
  - Recirculation of exhaust air is not recommended.
  - Always close containers tightly after the removal of product.

#### Advice on protection against fire and explosion

- Measures to prevent fire:
  - The product is: Combustible



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 7 of 25

The formation of combustible vapours is possible at temperatures above: +45 °C (Flash point - 15 °C)

Vapours can form explosive mixtures with air.

Spray mist may be flammable at temperatures below the flash point.

Provide earthing of containers, equipment, pumps and ventilation facilities.

Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

Use non-sparking tools.

Take precautionary measures against static discharges.

Only use the material in places where open light, fire and other flammable sources can be kept away.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Usual measures for fire prevention.

Fire-fighting equipment on the basis of class B.

Never use pressure to empty container.

Wear anti-static footwear and clothing

Measures according to German "Explosion rules" required:

Prevention measures regarding formation of explosible atmosphere (restriction and supervision of concentration, inertisation, airtightness, ventilation, warning device, etc.).

Prevention measures regarding ignition of explosible atmosphere (zone graduation, removing of ignition sources, explosion-proof electrical installation, earthing, etc.).

Constructive measures for restriction of effects regarding explosions (resistance to pressure of explosions, discharge of pressure of explosions, suppression of explosions, etc.).

#### Advice on general occupational hygiene

Advices on general occupational hygiene:

Wear personal protection equipment (refer to section 8).

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

General industrial hygiene practice.

Handle in accordance with good industrial hygiene and safety practice.

Working places should be designed to allow cleaning at any time.

Floors, walls and other surfaces in the hazard area must be cleaned regularly.

Clean spray booth and exhaust hood completely with every product change.

When using do not eat, drink, smoke, sniff.

Thorough skin-cleansing after handling the product.

Used working clothes should not be worn outside the work area.

#### Further information on handling

Environmental precautions:

Shafts and sewers must be protected from entry of the product.

Transfer wash-downs in sealed containers.

Provide for retaining containers, e.g. floor pan without outflow.

For restriction of emission on volatile organic compounds (VOC) the solvent vapours should be supplied to an exhaust air purification facility (filter, gas washer, incineration).

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Suitable floor material:

Floors should be impervious, resistant to liquids and easy to clean.

Protect against:

Heat

Cold

Recommended storage temperature: +10 ... +30 °C

Keep away from:

Food and feedingstuffs

Packaging materials:

Suitable container/equipment material:

Keep/Store only in original container.

Unsuitable container/equipment material:



# Safety Data Sheet

Information following the respective legal area

## WAXILIT 22-74

Revision date: 27.12.2022

Page 8 of 25

See under section 8.2 - Hand protection.

### Hints on joint storage

Do not store together with:

Storage class:

- 1 (Explosive hazardous substances)
- 2 A (Gases (except aerosol dispensers and lighters))
- 5.1 B (Highly oxidising substances)
- 6.2 (Infectious substances)
- 7 (Radioactive substances)

### Further information on storage conditions

Technical measures and storage conditions:

The valid water and zoning ordinances must be observed.

Heating causes rise in pressure with risk of bursting.

Keep away from sources of ignition - No smoking.

Keep in a cool, well-ventilated place.

Keep container tightly closed.

Protect containers against damage.

Ensure adequate ventilation of the storage area.

Store small packages in a suitable, robust cabinet.

Do not store outside.

See also instructions on the label.

### 7.3. Specific end use(s)

Recommendation:

Possibilities for substitution and references to less hazardous products:

This product was designed for a special application purpose and optimized appropriately.

In case of questions regarding product and application, please contact our field service in line with customer service or our technical sales department.

Observe technical data sheet.

Industrial sector specific solutions:

Hazardous substance information systems of professional associations:

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
-	Cycloalkanes >= C7	-	800		TWA (8 h)	WEL
-	Normal and branched chain alkanes >= C7 (it excludes n-heptane)	-	1200		TWA (8 h)	WEL

#### Additional advice on limit values

GESTIS - International Limit Values - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA):

<http://limitvalue.ifa.dguv.de>

Country information (EU)

(<http://www.dguv.de/ifa/fachinfos/occupational-exposure-limit-values/foreign-and-eu-limit-values/index.jsp>)

Country information (GB) (<http://www.hse.gov.uk/pubns/books/eh40.htm>)

Occupational Exposure Limits of EU-memberstates - European Agency for Safety and Health at Work (OSHA)

(<http://osha.europa.eu/en/topics/ds/oel/index.stm/members.stm>)

Source of law: EH40 (GB) (<http://www.hse.gov.uk>)

Recommended monitoring procedures:

Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents (BS EN 14042):

Personal air monitoring

Room air monitoring

Test tube



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 9 of 25

Gas warning system

Preliminary concentration measurements:

 Suitable detector tubes for measuring the current concentration in the air at the workplace: DRÄGER test tubes - short-term tubes (<http://www.gasmesstechnik.de>)

 DRÄGER test tubes - Short-term tubes - Petroleum hydrocarbons 10 / a (n-octane, measuring range: 10 - 300 ppm, response time: 60 sec) (<http://www.gasmesstechnik.de>)

 DRÄGER test tubes - Short-term tubes - Petroleum hydrocarbons 100 / a (n-octane, measuring range: 100 - 2500 ppm, response time: 30 sec) (<http://www.gasmesstechnik.de>)

Exposure limits at intended use:

DNEL-/PNEC-values:

There are no exposure scenarios attached in the Appendix of this Safety Data Sheet.

Risk management measures according to used control banding approach:

 Control banding for chemicals according to the ILO CHEMICAL CONTROL TOOLKIT (ICCT): ICCT-Guidelines and Control Guidance Sheets ( [http://www.ilo.org/legacy/english/protection/safework/ctrl\\_banding/toolkit/main\\_guide.pdf](http://www.ilo.org/legacy/english/protection/safework/ctrl_banding/toolkit/main_guide.pdf))

Used model:

Consider appropriate model solutions according to good engineering practices on designing the working process, if available.

#### 8.2. Exposure controls



#### Appropriate engineering controls

Substance/mixture related measures to prevent exposure during identified uses:

Technical measures to prevent exposure:

Design of appropriate work processes and engineering controls and the use of adequate materials (physical cut-off of man and machine, model solutions as certified working methods, working appliance according to the state of the art, optimization of process / spray robots, working appliance for prevention of skin contact, models of working times).

Organisational measures to prevent exposure:

Execution of collective protection measures at source and appropriate organisational measures (local exhaust ventilation, ventilation by technical means, general ventilation, measures on averting a danger at breakdowns / at emergencies / after accidents, first-aid-measures, manner related measures: operating instruction / instruction of employees, occupational medicine health precaution).

Structural measures to prevent exposure:

Execution of individual and personnel protection measures (personal protective equipment - PPE).

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Technical measures and the application of suitable work processes have priority over personal protection equipment.

References for design of technical equipment:

See under section 7.1 - Precautions for safe handling.

Summary of the risk management measures for exposure scenario:

Use only the following product amount per time unit:

No information available.

Minimum room-width and room-height for handling/application:



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 10 of 25

No information available.

Minimum room ventilation rate for handling/application (air changes per hour):

No information available.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

If required according to hazard assessment:

Suitable eye protection:

Eye glasses with side protection (EN 166)

Recommended eye protection articles:

UVEX I-VO / UVEX I-3 / UVEX SUPER OTG

Or comparable articles from other companies.

##### Hand protection

Skin protection:

Preventive skin protection.:

Draw up skin protection programme.

Before starting work, apply solvent-resistant skincare preparations.

e.g. sansibal® / sansibon®, dualin® (PETER GREVEN PHYSIODERM)

Wash hands before breaks and after work.

e.g. ecosan®, topscrub® soft / topscrub® extra / topscrub® nature (PETER GREVEN PHYSIODERM)

After cleaning apply high-fat content skin care cream.

e.g. physioderm® creme, cura soft® / cUrea soft® (PETER GREVEN PHYSIODERM)

Apply skin care products after work.

If required according to hazard assessment:

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Decrease wearing protection gloves to an inevitable degree to avoid skin rash.

Technical and organizational protective actions have to be preferred.

Breakthrough times and swelling properties of the material must be taken into consideration.

Check leak tightness/impermeability prior to use.

Wear cotton undermitten if possible.

Change preventive gloves once by hour or use special skin-protective preparations for protective gloves carrier,

e.g. physioderm® proGlove (PETER GREVEN PHYSIODERM)

Take recovery periods for skin regeneration.

Do not wear gloves near rotary machines and tools.

Dispose preventive gloves after defect or expiry of wearing time. Replace when worn.

In the case of wanting to use the gloves again, clean them before taking off and air them well.

Wearing time with permanent contact:

Suitable gloves type

Gloves with long cuffs

Recommended glove articles:

Suitable materials at long term, direct contact (Recommended: Preventive index 6, accordingly > 480 min. permeation time in accordance to EN 374):

Nitrile rubber / NBR (KCL-CAMATRIL VELOURS® - Art. No. 730) - Layer thickness: 0,4 mm

Fluorine rubber / FKM / Viton (KCL-VITOJECT® - Art. No. 890) - Layer thickness: 0,7 mm

Or comparable articles from other companies.

Unsuitable material:

Butyl caoutchouc (butyl rubber)

NR (natural rubber, Natural latex)

Wearing time with occasional contact (splashes):

Suitable gloves type

Disposable gloves

Recommended glove articles:



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 11 of 25

Suitable materials at short term contact or splash (Recommended: Preventive index 3, accordingly > 60 min. permeation time in accordance to EN 374):

Disposable gloves of special nitrile rubber / NBR (KCL-DERMATRIL® P - Art. No. 743) - Layer thickness: 0,2 mm  
Or comparable articles from other companies.

The statements are based on self-tests, literary reference and information of glove manufacturers or have been derived from similar substances by analogy.

Source: CHEMIKALIEN-MANAGER - KCL software for hand protection.

It has to be noticed, that daily time of use of chemical protective gloves may be quite shorter in practice because of many factors of influence (e.g. thermal and mechanical stress as well as special conditions on the floor) than the permeation time determined in accordance to EN 374.

The respective permeation time doubles/halvens at about 1,5 times larger/lower layer thickness.

Declared permeation times according to EN 374 are not carried out under practical conditions. Therefore a maximum wearing time up to 50 % of breakthrough time is recommended.

They relate to the pure solvent as mean component.

Barrier creams are not substitutes for body protection.

#### Skin protection

If required according to hazard assessment:

Suitable protective clothing:

Overall, Natural fibres (e.g. cotton) (EN 340)

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

DIN-/EN-Norms EN 468

Chemical protection clothing (Disposable suit antistatic)

type 6 limited splash-tight

type 5 particle-tight (method B)

type 4 spray-tight

Recommended protective clothing articles:

TYVEK CLASSIC PLUS (DU PONT)

Or comparable articles from other companies.

Chemical resistant safety shoes with conductible sole (EN ISO 20345)

Wash contaminated clothing prior to re-use.

Used working clothes should not be worn outside the work area.

Street clothing should be stored separately from work clothing.

#### Respiratory protection

If required according to hazard assessment:

Respiratory protection necessary at:

aerosol or mist formation + exceeding exposure limit values +

high concentrations / prolonged exposure / insufficient ventilation / insufficient exhaust

Use only respiratory protection equipment with CE-symbol including four digit test number.

Filter types: A, B, E, K. Class 1: Maximum permitted contaminant concentration in inhaled air = 1000 mL/m<sup>3</sup> (0.1 % by vol.); class 2: maximum permitted contaminant concentration in inhaled air = 5000 mL/m<sup>3</sup> (0.5 % by vol.); class 3:

maximum permitted contaminant concentration in inhaled air = 10000 mL/m<sup>3</sup> (1.0 % by vol.)

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection

apparatus (BGR 190).

The use of filter equipment requires a minimum oxygen content of 17 Vol-% in the surrounding atmosphere and that the

maximum permitted gas concentration - normally 0,5 Vol-% - is not exceeded.

Suitable respiratory protection apparatus:  
Half-face mask or quarter facepiece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 12 of 25

the expo.

Recommended respiratory protection articles:

Half mask or quarter mask with combination filter A1P1/A2P2 for gases, vapors and particles. (EN 140, EN 14387)

Filtering half mask or quarter mask with combination filter FFA1 P1/FFA2P2 for gases, vapors and particles. (EN 405)

Gas filtrating Half-face mask FFA (EN 405)

Model 4251 (FFA1P1 - 1000 ml/m<sup>3</sup>) / 4255 (FFA2P2SL - 5000 ml/m<sup>3</sup>) (3M)

Half-face mask or Quarter-face mask with gas filter (EN 140, EN 14387)

Filter type 6051 (A1 - 1000 ml/m<sup>3</sup>) / 6055 (A2 - 5000 ml/m<sup>3</sup>) (3M)

Full-face mask with gas filter (EN 136, EN 14387)

Gas filter type: A, Indication colour: brown

Or comparable articles from other companies.

#### Thermal hazards

No thermal hazards during use of this product.

#### Environmental exposure controls

Environmental exposure controls:

Technical measures to prevent exposure:

Discharge exhaust air only with suitable separators to atmosphere.

Organisational measures to prevent exposure:

Should not be released into the environment.

Structural measures to prevent exposure:

Use the following recovery and/or abatement technique for cleaning waste gases:

Exhaust air scrubber

Adsorption

Incineration

Further information see under section 6.2 - Environmental precautions.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	light yellow	
Odour:	characteristic	
Odour threshold:	No data available	
		<b>Test method</b>
Melting point/freezing point:	< - 20 °C	literature value
Boiling point or initial boiling point and boiling range:	> 180 °C	literature value
Flammability		
Solid/Liquid:	The product is: Flammable	
Lower explosion limits:	0,5 vol. %	literature value
Upper explosion limits:	7,0 vol. %	literature value
Flash point:	> 60 °C	EN ISO 2719
Auto-ignition temperature:	> 200 °C	literature value
Decomposition temperature:	Thermally stable.	
pH-Value:	not applicable	
Viscosity / kinematic: (at 40 °C)	2,2 mm <sup>2</sup> /s	DIN 53015
Water solubility: (at 20 °C)	practically insoluble: < 0,1 g/L	literature value
Solubility in other solvents		
Fat solubility:	No data available	
Dissolution rate:	(Nanoform) not relevant	
Partition coefficient n-octanol/water:	not applicable (Mixtures)	
Dispersion stability:	(Nanoform) not relevant	
Vapour pressure: (at 20 °C)	< 1 hPa	literature value



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 13 of 25

Vapour pressure: (at 50 °C)	< 6 hPa literature value
Density (at 20 °C):	0,81 g/cm <sup>3</sup> DIN 51757
Relative density:	not determined
Bulk density:	not applicable (Liquid)
Relative vapour density: (at 25 °C)	~ 5.4 (Air = 1) literature value
Particle characteristics:	not applicable (Liquid)

#### 9.2. Other information

##### Explosive properties

Spray mist may be flammable at temperatures below the flash point.

Vapour/air-mixtures are explosive at intense warming.

The statements for steam pressure, ignition point and explosion levels apply to the solvent / solvent mixture.

##### Self-ignition temperature

Solid:

Not pyrophoric.

Gas:

Not pyrophoric.

##### Other safety characteristics

Evaporation rate: < 0.1 (n-Butyl acetate = 1) ASTM D 3539  
(at 20 °C)

Solvent separation test: not applicable

Solvent content: not determined

Solid content: not determined

Sublimation point: not applicable

Softening point: not applicable

Pour point: not applicable

Viscosity / dynamic: not determined

Flow time: 27 s 3 DIN EN ISO 2431  
(at 23 °C)

##### Further Information

Other safety characteristics:

Mechanical sensitivity: No ignition, explosion, self-heating or visible decomposition.

Miscibility: miscible with most organic solvents

Conductivity (ASTM D 2624): > 1000 pS/m

Corrosiveness: not applicable

Redox potential: not determined

radical formation potential: not applicable

photocatalytic properties: not applicable

Surface tension: not determined

Molecular weight: ~ 168 g/mol (calculated)

Temperature Class (EN 60079-0): T 3 (T > +200 °C ... <= +300 °C)

Limiting oxygen concentration (LOC) (EN 14756): No data available

Explosion group: IIA

Maximum experimental safe gap (MESG) (IEC 60079-1-1): > 0,9 mm

Minimum ignition current (MIC) (IEC 60079-11): No data available

Minimum ignition energy (MIE) (EN 13673-1): No data available

Data apply to the main component.

Data relevant with regard to physical hazard classes (supplemental):

Explosives

not applicable

Flammable gases

Non-flammable. / not applicable (Liquid)

Aerosols



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 14 of 25

Non-flammable. / not applicable (Liquid)  
Oxidising gas  
Not oxidising. / not applicable (Liquid)  
Gases under pressure  
not applicable (Liquid)  
Flammable liquids  
Non-flammable.  
In use may form flammable/explosive vapour-air mixture.  
flammable solids  
Non-flammable. / not applicable (Liquid)  
Self-reactive substances and mixtures  
not applicable  
Pyrophoric liquids  
Not pyrophoric.  
Pyrophoric solids  
Not pyrophoric. / not applicable (Liquid)  
self-heating substances and mixtures  
not applicable  
Substances or mixtures which, in contact with water, emit flammable gases  
not applicable  
Oxidising liquids  
Not oxidising.  
Oxidising solids  
Not oxidising. / not applicable (Liquid)  
Organic peroxides  
not applicable  
Corrosive to metals.  
Not corrosive to metals.  
Desensitised explosives  
not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Heat, flames and sparks.

Further information see under section 7.2 - Conditions for safe storage, including any incompatibilities.

Further information see under section 10.5 - Incompatible materials.

### 10.5. Incompatible materials

Violent reaction with:

Oxidising agent, strong

Further information see under section 7.1 - Precautions for safe handling.

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

No known hazardous decomposition products.

Under fire conditions: See under section 5.2 - Special hazards arising from the substance or mixture.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the preparation/mixture itself.

The product has not been tested.

Information on likely routes of exposure /

Symptoms related to the physical, chemical and toxicological characteristics:



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 15 of 25

See under section 4.2 - Most important symptoms and effects, both acute and delayed.

Exposure route:

In case of ingestion:

Ingestion causes nausea, weakness and central nervous system effects.

Aspiration hazard

The risk of aspiration (penetration of liquids through the oral or nasal cavity into the trachea and lower respiratory system) is restricted solely to accidental ingestion (accident involvement) and not to the inhalation of fine mist (aerosols), as this does not result in juxtaposition of the particles, which could trigger a chemical pneumonia in the lungs.

According to the "qualitative exposure assessment" for as Asp. Tox 1, H304 classified substances and mixtures (without DNEL's) the risk management measures restricting the use of the safety P301+P310 and P331 in the SDS and on the label.

In case of skin contact:

slightly irritant but not relevant for classification.

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

In case of inhalation:

slightly irritant but not relevant for classification.

In case of eye contact:

slightly irritant but not relevant for classification.

Conjunctival redness.

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Not relevant

Interactive effects:

Not relevant

Absence of specific data:

No data is available on the product itself. Description of possible hazardous to health effects is based on experience and/or toxicological characteristics of several components.

However, some data are not complete regarding particular main components. Nevertheless according to the experience of the manufacturer there are no other hazards expected than those which are already mentioned on the label.

Mixture versus substance information:

Not relevant

#### Acute toxicity

Based on available data, the classification criteria are not met.

**Safety Data Sheet**

Information following the respective legal area

**WAXILIT 22-74**

Revision date: 27.12.2022

Page 16 of 25

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat	Supplier / ECHA	OECD 401
	dermal	LD50 > 2000 mg/kg	Rabbit	Supplier / ECHA	OECD 402
	inhalation (4 h) dust/mist	LC50 > 5,6 mg/l	Rat	ECHA	OECD 403
13475-82-6	2,2,4,6,6-pentamethylheptane				
	oral	LD50 > 5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 > 3000 mg/kg	Rabbit	Supplier / ECHA	OECD 402
	inhalation (4 h) dust/mist	LC50 > 5,6 mg/l	Rat	ECHA	OECD 403
90622-57-4	hydrocarbons, C11-C12, isoalkanes, <2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat	Supplier / ECHA	OECD 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Supplier / ECHA	OECD 402
	inhalation (4 h) dust/mist	LC50 > 5,6 mg/l	Rat	ECHA	OECD 403

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Repeated exposure may cause skin dryness or cracking.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Information on likely routes of exposure**

oral: +  
Dermal: +  
inhalation: +  
Eye contact: +

**11.2. Information on other hazards****Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

**SECTION 12: Ecological information****12.1. Toxicity**

Aquatic toxicity:

Acute (short-term) fish toxicity:

There are no data available on the preparation/mixture itself. The product has not been tested.

Acute (short-term) toxicity to crustacea:

There are no data available on the preparation/mixture itself. The product has not been tested.

Acute (short-term) toxicity to algae and cyanobacteria:

There are no data available on the preparation/mixture itself. The product has not been tested.

Chronic (long-term) toxicity to aquatic invertebrate:

There are no data available on the preparation/mixture itself. The product has not been tested.

Chronic (long-term) fish toxicity:

There are no data available on the preparation/mixture itself. The product has not been tested.





## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 17 of 25

Toxicity to other aquatic plants/organisms:  
No data available (Substances/Ingredient)

Terrestrial toxicity:

Acute and subchronic bird toxicity:  
No data available (Substances/Ingredient)

Bird reproduction toxicity:  
No data available (Substances/Ingredient)

Acute earthworm toxicity:  
No data available (Substances/Ingredient)

Chronical earthworm toxicity (reproduction):  
No data available (Substances/Ingredient)

Useful insect toxicity:  
No data available (Substances/Ingredient)

Acute plant toxicity:  
No data available (Substances/Ingredient)

Chronic plant toxicity:  
No data available (Substances/Ingredient)

Toxicity to soil macroorganisms except of arthropods:  
No data available (Substances/Ingredient)

Effects on soil microorganisms:  
No data available (Substances/Ingredient)

Behaviour in waste water treatment plants:

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

Observe local regulations concerning effluent treatment.

**Safety Data Sheet**

Information following the respective legal area

**WAXILIT 22-74**

Revision date: 27.12.2022

Page 18 of 25

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-48-9	hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics					
	Acute fish toxicity	LL50 > 1000 mg/l	96 h	Oncorhynchus mykiss	Supplier / ECHA	OECD 203
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata	Supplier / ECHA	OECD 201
	Acute crustacea toxicity	EL50 > 1000 mg/l	48 h	Daphnia magna	Supplier / ECHA	OECD 202
	Fish toxicity	NOEC 0,101 mg/l	28 d	Oncorhynchus mykiss	ECHA	(Q)SAR
	Algae toxicity	NOEC 1000 mg/l	3 d	Pseudokirchneriella subcapitata	Supplier / ECHA	OECD 201
	Crustacea toxicity	NOEC 0,176 mg/l	21 d	Daphnia magna	ECHA	(Q)SAR
	Acute bacteria toxicity	(EC50 > 1000 mg/l)	0 h	Tetrahymena pyriformis	ECHA	[48 h] [growth]
13475-82-6	2,2,4,6,6-pentamethylheptane					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Oncorhynchus mykiss	ECHA	OECD 203
	Acute algae toxicity	ErC50 > 0,0225 mg/l	72 h	Desmodesmus subspicatus	ECHA	OECD 201
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	ECHA	OECD 202
	Fish toxicity	NOEC 0,267 mg/l	28 d	Oncorhynchus mykiss	ECHA	
	Algae toxicity	NOEC 0,0225 mg/l	3 d	Desmodesmus subspicatus	ECHA	OECD 201
	Crustacea toxicity	NOEC 0,011 mg/l	21 d	Daphnia magna	ECHA	OECD 211
	Acute bacteria toxicity	(EC50 > 100 mg/l)	3 h	Activated sludge	ECHA	OECD 209
90622-57-4	hydrocarbons, C11-C12, isoalkanes, <2% aromatics					
	Acute fish toxicity	LL50 > 1000 mg/l	96 h	Oncorhynchus mykiss	Supplier / ECHA	OECD 203
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata	Supplier / ECHA	OECD 201
	Acute crustacea toxicity	EL50 > 1000 mg/l	48 h	Daphnia magna	Supplier / ECHA	OECD 202
	Fish toxicity	NOEC 0,209 mg/l	28 d	Oncorhynchus mykiss	ECHA	(Q)SAR
	Algae toxicity	NOEC 1000 mg/l	3 d	Pseudokirchneriella subcapitata	Supplier / ECHA	OECD 201
	Crustacea toxicity	NOEC 0,101 mg/l	28 d	Daphnia magna	ECHA	OECD 211
	Acute bacteria toxicity	(EC50 > 1,5 mg/l)	0 h	Pseudomonas putida	ECHA	[5 h]

**12.2. Persistence and degradability**

Abiotic degradation:

Physicochemical elimination:

Oxidation:

not applicable (Mixtures)

In air a rapid reduction is expected.

The information about ecology refers to the main components.

Hydrolysis:

not applicable (Mixtures)

It is not expected to conversion due to hydrolysis to any significant extent.

The information about ecology refers to the main components.

Photochemical elimination:

Photolysis:



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 19 of 25

not applicable (Mixtures)

It is not expected to conversion due to photolysis to any significant extent.

The information about ecology refers to the main components.

Ozonolysis:

not applicable (Mixtures)

Biodegradation:

not applicable (Mixtures)

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
64742-48-9	hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	OECD 301 F		80 %	28	Supplier / ECHA
	readily biodegradable, but failing 10-day window				
	OECD 301 F		89,8 %	28	ECHA
	readily biodegradable				
13475-82-6	2,2,4,6,6-pentamethylheptane				
	OECD 306		74 %	28	ECHA
	readily biodegradable				
	EPA OTS 796.3100		8,74 %	31	ECHA
	not inherently biodegradable				
	EPA OTS 796.3100		20,62 %	31	ECHA
	not inherently biodegradable				
90622-57-4	hydrocarbons, C11-C12, isoalkanes, <2% aromatics				
	OECD 301 F		31 %	28	ECHA
	inherently biodegradable				

#### 12.3. Bioaccumulative potential

not applicable (Mixtures)

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
13475-82-6	2,2,4,6,6-pentamethylheptane	6,96

#### 12.4. Mobility in soil

Surface tension:

See under section 9.1 - Information on basic physical and chemical properties.

Distribution:

Water-air (volatility rate, Henry-constant):

not applicable (Mixtures)

The product is insoluble and floats on water.

The product evaporates slowly.

The information about ecology refers to the main components.

Soil-Water (Adsorption coefficient):

not applicable (Mixtures)

If product enters soil, it will be mobile and may contaminate groundwater.

The information about ecology refers to the main components.

Soil-Air (volatility rate):

not applicable (Mixtures)

The product evaporates slowly.

The information about ecology refers to the main components.

This product contains one or more hydrocarbon UVCB's. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 20 of 25

#### **12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### **12.7. Other adverse effects**

Ozone depletion potential (ODP):

No data available (Substances/Ingredient)

Photochemical ozone creation potential (POCP):

No data available (Substances/Ingredient)

Global warming potential (GWP):

No data available (Substances/Ingredient)

AOX: Product does not contain any organic halogens.

### **SECTION 13: Disposal considerations**

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Waste treatment options (Recovery operations / Disposal operations):

Send to a hazardous waste incinerator facility under observation of official regulations.

Dispose of waste according to applicable legislation.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Hazardous waste according to Directive 2008/98/EC (waste framework directive).

Properties of waste which render it hazardous:

Specific Target Organ Toxicity (STOT)/Aspiration Toxicity [HP 5]

Evidence for disposal must be provided.

Consult the appropriate local waste disposal expert about waste disposal.

Waste for recycling is to be classified and labelled.

For recycling, contact recycling exchanges.

May not be disposed or deposited together with domestic garbage.

Do not mix with other wastes.

Do not flush into surface water or sanitary sewer system.

Do not dispose of waste into sewer.

Before discharge in public drains (e.g. residues of washing- and rinsing liquids) please observe the relevant regulations. In case of further questions please contact your waste- or environmental representative or the responsible authority.

Clean IBCs or drums at approved facility only.

The waste producer is responsible for correct coding and designation of his wastes.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

The waste code has to be identified in agreement with the disposal company or the competent authority.

List of proposed waste codes/waste designations in accordance with EWC:

##### **List of Wastes Code - residues/unused products**

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

##### **List of Wastes Code - used product**

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

##### **List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

##### **Contaminated packaging**

Other disposal recommendations:

Contaminated packages must be completely emptied and can be re-used following proper cleaning.

Cleaning by recycling company.



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 21 of 25

Recommended cleansing agent:  
Clean with detergents. Avoid solvent cleaners.

Handle contaminated packages in the same way as the substance itself.  
Non-contaminated packages may be recycled.  
Packing which cannot be properly cleaned must be disposed of.  
As well uncleaned (empty) containers remain contaminated by product residues and may be hazardous by vapours.  
They have to be disposed by specialists or have to be supplied to a licensed reconditioning.  
The conditions of the regional reconditioning companies have to be observed.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

###### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

##### Inland waterways transport (ADN)

###### Other applicable information (inland waterways transport)

Not classified for this transport carrier.

##### Marine transport (IMDG)

###### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

##### Air transport (ICAO-TI/IATA-DGR)

###### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### Other applicable information

not relevant

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): 80 % (648 g/l)

###### Additional information

Authorisations and/or restrictions on use:

Authorisations:

Authorisation of Chemicals (REACH) as regards Annex XIV:

not relevant

Restrictions on use:

Restriction of chemicals (REACH) as regards annex XVII:

not relevant

Informations on Regulation (EC) No. 1272/2008 - Annex VI, Part 1:

Note P is valid: The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes. Where the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P260-P262-P301 + P310-P331 shall apply.

Other regulations (EU):

Regulation (EC) No. 1005/2009 - Substances that deplete the ozone layer:

not relevant



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 22 of 25

Regulation (EC) No. 648/2004 and No 907/2006 - Detergents:

not relevant

Regulation (EC) No. 649/2012 - Export and import of dangerous chemicals:

not relevant

Regulation (EU) 2019/1021 - Persistent organic pollutants:

not relevant

Regulation (EC) No. 428/2009 and No. 388/2012 and No. 1382/2014 - Control of exports, or transfer, brokering and transit of dual-use goods (Dual-Use Regulation):

not relevant

Regulation (EC) No. 273/2004 - Drug precursors:

not relevant

Regulation (EC) No. 111/2005 - Definition of rules for the monitoring of trade in drug precursors between the Union and third countries:

not relevant

Regulation (EU) 2019/1148 - Marketing and use of precursors for explosives:

Annex I - Restricted explosives precursors:

not relevant

Annex II - Notification requirements for explosives precursors:

not relevant

Directive 2012/18/EC - Control of major accident hazards involving dangerous substances (Seveso III):

not relevant

Directive 2004/42/EC - Use of organic solvents in certain paints and lacquers:

not relevant

Directive 2010/75/EU - Industrial Emissions Directive (Directive IE) - succession to Directive 1999/13/EC - Limitation of emissions of volatile organic compounds (VOC-Directive):

When using this substance / mixture it has to be checked whether the activities are subject to the requirements of IE-RL, Chapter V (installations and activities with the use of organic solvents - VOC).

Aerosol Directive (75/324/):

not relevant

Biocide directive (98/8/EC):

not relevant

Regulation (EU) No. 528/2012 on biocides:

not relevant

Observe in addition any national regulations!

EC-Chemical inventories: All ingredients are listed in EINECS / ELINCS or excepted from listing.

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### Additional information

Other regulations, restrictions and prohibition regulations:

European product inventories (Registration status on mixtures):

Kemikalieinspektionen / Produktregistret / Swedish Chemicals Inspectorate - Kemi (<http://www.kemi.se>):



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 23 of 25

This product was registered.

Schweizerische Eidgenossenschaft - Bundesamt für Gesundheit - BAG (<http://www.bag.admin.ch>) / Anmeldestelle Chemikalien (<http://www.cheminfo.ch>) / Informationssystem für gefährliche und umweltrelevante Stoffe - IGS (<http://igs.naz.ch/index.html>);

This product was registered.

International chemical inventories (Registration status on substances): No data available

#### **15.2. Chemical safety assessment**

For the following substances of this mixture a chemical safety assessment has been carried out:

hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics

2,2,4,6,6-pentamethylheptane

hydrocarbons, C11-C12, isoalkanes, <2% aromatics

### **SECTION 16: Other information**

#### **Changes**

This version replaces all former issues.

Changes made in this revision see section: 2, 4, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16.

#### **Abbreviations and acronyms**

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate.

CAS: Chemical Abstracts Service.

CEN: Comité Européen de Normalisation (European Committee for Standardisation).

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CMR: Carcinogen, Mutagen, or Reproductive Toxicant.

CSA: Chemical Safety Assessment.

CSR: Chemical Safety Report.

C&L: Classification & Labeling.

DNEL: Derived No-Effect Level.

DPD: Dangerous Preparations Directive 1999/45/EC.

DSD: Dangerous Substances Directive 67/548/EEC.

DU: Downstream User.

EAK: European Waste Catalogue (replaced by LoW – see below).

EC50: Effective concentration, 50 percent.

ECHA: European Chemicals Agency.

EC: European community.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances.

EN: European standard.

EWC: European Economic Community.

EEA: European Economic Area (EU + Iceland, Liechtenstein and Norway).

EU: European Union.

FDA: US-Food and Drug Administration.

GES: Generic Exposure Scenario.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals.

HSPA: Hydrocarbon Solvents Producers Association.

IATA-DGR: International Air Transport Association Dangerous Goods Regulations.

IBC-Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk (International Bulk Chemical Code).

IC50 / ErC50: Inhibitory concentration, 50 percent.

ICAO-TI: International Civil Aviation Organization Technical Instruction.

IMDG: International Maritime Dangerous Goods.

IMSBC: International Maritime Solid Bulk Cargoes.

ISO: A standard of International Standards Organisation.

IUCLID: International Uniform Chemical Information Database.

IUPAC: International Union for Pure and Applied Chemistry.

LC50: Lethal concentration, 50 percent.



## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 24 of 25

LD50: Lethal Dose, 50 percent.  
LE: Legal Entity.  
log Kow (Pow): octanol-water partition coefficient.  
LoW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>).  
LQ: Limited Quantities.  
LR: Lead Registrant.  
MARPOL: Maritime Pollution Convention (Convention for the Prevention of Pollution from Ships).  
OC: Operational Conditions.  
OECD: Organisation for Economic Co-operation and Development.  
OSHA: Occupational Safety and Health Agency.  
PBT: Persistent, bioaccumulabe and toxic.  
PEC: Predicted Effect Concentration.  
PNEC: Predicted No-Effect Concentration.  
PPE: Personal Protection Equipment.  
(Q)SAR: Quantitative-Structure-Activity-Relationship.  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals; Regulation (EC) No 1907/2006.  
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.  
RMM: Risk Management Measure.  
STEL: Short time exposure limit.  
SVHC: Substances of Very High Concern.  
STOT - RE: Specific Target Organ Toxicity - Repeated Exposure.  
STOT - SE: Specific Target Organ Toxicity - Single Exposure.  
TWA: Time Weighted Average.  
UN: United Nations.  
UVCB: Substances of Unknown or Variable composition, Complex reaction products or Biological materials.  
vPvB: Very persistent and very bioaccumulable.  
WoE: Weight of Evidence.

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

#### Key literature references and sources for data

The classification corresponds to current EC-lists, but is completed by statements of technical literature and company data.

Other public accessible sources:

Regulation (EC) No. 1907/2006 (REACH) in the valid version in each case

Regulation (EC) No. 1272/2008 (CLP) in the valid version in each case

Further information and practical guides on the internet:

European Chemicals Agency - ECHA (<http://echa.europa.eu>)

ECHA - Information on Chemicals (<http://echa.europa.eu/information-on-chemicals>)

ECHA - Candidate List of Substances of Very High Concern for Authorisation

(<http://echa.europa.eu/de/candidate-list-table>)

ECHA - List of restrictions table

(<http://echa.europa.eu/de/addressing-chemicals-of-concern/restrictions/list-of-restrictions/list-of-restrictions-table>)

ECHA - Authorisation List

(<http://echa.europa.eu/hr/addressing-chemicals-of-concern/authorisation/recommendation-for-inclusion-in-the-authorisation-list/authorisation-list>)

ECHA - C&L Inventory (<http://echa.europa.eu/en/web/guest/regulations/clp/cl-inventory>)

eChemPortal (<http://www.echemportal.org>)

The access to European Union law - EUR-Lex (<http://eur-lex.europa.eu>)

Health and Safety Executive (<http://www.hse.gov.uk>) / Control of Substances Hazardous to Health Regulations - COSHH

(<http://www.coshh-essentials.org.uk/Home.asp>)

Pollution Prevention and Control Act and Pollution Prevention and Control Regulations

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method





## Safety Data Sheet

Information following the respective legal area

### WAXILIT 22-74

Revision date: 27.12.2022

Page 25 of 25

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.

**Further Information**

Full text of all R-, H-, EUH-phrases which are referred to in section 2 and 3 of this safety data sheet - see previous list. These (this) R-, H-, EUH-phrases/R-, H-, EUH-phrase apply/applies to the substance(s) of content, however, it does not necessarily show the classification of the product.

Recommended restriction of application:

See under section 1.2 - Uses advised against.

Use this product only for intended purpose in accordance with our product informations.

Please refer to our internet website for more information (<http://www.acmos.com>).

Training advice:

Yearly briefing and instruction of employees by means of operating instructions according to article 8 of EC-directive 98/24/EC.

Inquiry office: Laboratory (Division: Occupational- /Product security)

Contact person: Mr. Dryhaus (Telephone: +49-421-5189-0, Telefax: +49-421-5189-871)

Office hours: Mo - Th from 7.30 - 16.15 h and Fr from 7.30 - 13.30 h. Out of office hours no call diversion.

Disclaimer:

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The information contained herein are, to our knowledge at the time of their creation to be correct and been taken from sources deemed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. The receiver of our product is singularly responsible for adhering to existing laws and regulations. All descriptions are approximate values, they are not specified for construction of specifications. This safety data sheet does not represent any operating instruction according to national chemical regulations. It may be used for creation, but must not replace it. The employer is not relieved from his duties. All technical information to occupational protection are directed predominately to experts first (safety engineers, occupational medicines).